



TE CA SI MONTING d.o.o
78000 Banja Luka, Blagoja Parovića 96A
Raiffeisen banka 161-045-00358100-12

I.D. broj: 402534320006

e-mail: montingbl@teol.net
www.montingbl.net
Tel. 051/366-200; fax051/366-201
GSM 065/916-447

CJENOVNIK VP

| GRUPA | ŠIFRA | NAZIV | CIJENA |
|-------------|-------------|----------------------------------|--------|
| KNAUF | 5874 | AKRIL BIJELI 310 ml | 3.50 |
| KNAUF-ZEMUN | 424290 | AKRIL FINISH S 1.5MM | 1.60 |
| KNAUF | | AL FOLIJA EUROV.STANDARD 110 | 1.60 |
| KNAUF DEBAR | 66628 | ALABASTER EXTRA 25 | 8.82 |
| EM-ONIX | | Alu profil za zast.kut. 25/13 EO | 0.54 |
| KNAUF | 10570 | Alu profil za zastitu kut 23/13 | 0.83 |
| KNAUF | | ALU-BAR *50* BIJELI | 2.20 |
| EM-ONIX | | Alu-profil za zast.kut. 2.5 EO | 0.60 |
| KNAUF | 66100 | Alu-profil za zastitu kut. 2.5m | 0.63 |
| KNAUF | 66102 | Alu-profil za zastitu kut.3m | 0.63 |
| KNAUF | 3690 | ALUX ZASTITNA TRAKA 52mm/30,4m | 36.12 |
| KNAUF | 429471 | AQUAPANEL band traka vanj 50/1 | 49.10 |
| KNAUF | 131094 | AQUAPANEL GLETMASA SIVA 20KG | 5.28 |
| KNAUF | 65139 | AQUAPANEL INDOOR 12.5X900X1250 | 38.00 |
| KNAUF | 53500 | AQUAPANEL Maxi vijak 40mm | 45.00 |
| KNAUF | 83527 | AQUAPANEL OUTDOOR 12.5X900X1250 | 40.00 |
| KNAUF | 49376 | AQUAPANEL PU LJEPILO ZA SPOJEVE | 17.62 |
| ARMSTRONG | BP70M4C | ARM CORTEGA TEGUL. 600X600X15 | 12.00 |
| ARMSTRONG | BP2080M6D2 | ARM ORC.CLIP IN MIKP.60X120X3.6 | 54.00 |
| ARMSTRONG | BP2105M4 | ARM. FERİJA BOARD 600X600X14 | 10.25 |
| ARMSTRONG | BPT1924HD | ARM. L-3000/19X24 | 1.20 |
| ARMSTRONG | BPA12030G | ARM. OVJES 2 ZICE 165-280 mm | 0.65 |
| ARMSTRONG | BPA12040G | ARM. OVJES 2 ZICE 315-580 mm | 0.75 |
| ARMSTRONG | BPA12090G | ARM. OVJES 2 ZICE 515-980 mm | 0.95 |
| ARMSTRONG | BP2051M4 | ARM. SAVANA BOARD 600X600X12 | 7.81 |
| ARMSTRONG | BP383051DW | ARM. T-1200/33 SISTEM S24 | 1.40 |
| ARMSTRONG | BP163051 | ARM. T-1200/33 TLX 24 | 1.45 |
| ARMSTRONG | BP384032DWA | ARM. T-3600/38 SISTEM S24 | 1.50 |
| ARMSTRONG | BP382021DW | ARM. T-600/30 SISTEM S24 | 1.40 |
| ARMSTRONG | BP162051 | ARM. T-600/33 TLX 24 | 1.45 |
| ARMSTRONG | BP9844M4B | ARM.ATLAS BOARD 600X600X12 | 8.24 |
| ARMSTRONG | BP9654M4E | ARM.CASA TEGULAR 600X600X15 | 13.50 |
| ARMSTRONG | BP770M4B | ARM.CORTEGA BOARD 600X600X15 | 9.00 |
| ARMSTRONG | BP2615M4B | ARM.FERİA UNP.BOARD 1200X600X14 | 12.00 |
| ARMSTRONG | BP2614M4 | ARM.FERİA UNP.BOARD 600X600X14 | 10.25 |
| ARMSTRONG | BPM311022 | ARM.KLIP PROFIL | 2.41 |
| ARMSTRONG | BPM215013 | ARM.L-4000 ZA KLIP-IN | 6.13 |
| ARMSTRONG | BP9685M6H2 | ARM.METAL TEGUL.8 MIKROPERF | 39.30 |
| ARMSTRONG | BPM300138 | ARM.NAS.KLIP PROFILA | 0.22 |
| ARMSTRONG | BPM300119 | ARM.NASTAVAK U PROFILA | 1.58 |
| ARMSTRONG | BPM300166 | ARM.NONIUS DONJI DIO | 1.21 |

| | | | |
|-------------|------------|-----------------------------------|--------|
| ARMSTRONG | BP2056M6C1 | ARM.ORCAL CLIP-IN PLAIN 60X60 | 46.20 |
| ARMSTRONG | BPM300120 | ARM.OSIGURAC SPOJNICE | 0.28 |
| ARMSTRONG | BP9587M4C | ARM.PLAIN BOARD 600X600X12 | 34.70 |
| ARMSTRONG | BP9334M6G1 | ARM.PLAIN BOARD 600X600X15 | 34.70 |
| ARMSTRONG | BP9590M4E | ARM.PLAIN MicroLock 600x600x15 | 17.14 |
| ARMSTRONG | BPM311081 | ARM.POTISNA OPRUGA | 0.19 |
| ARMSTRONG | BP2519M4 | ARM.SAHARA MicoLock 600x600x15 | 17.14 |
| ARMSTRONG | BPMS14572 | ARM.SAHARA TEGUL.1200X600X17 | 16.50 |
| ARMSTRONG | BP2518M4 | ARM.SAHARA TEGULAR 600X600X15 | 16.50 |
| ARMSTRONG | BP2612M4 | ARM.SAHARA UF TEGUL.600X600X15 | 16.50 |
| ARMSTRONG | BP2610M4 | ARM.SAHARA UNP.BOARD600X600X15 | 11.50 |
| ARMSTRONG | BP3070M4 | ARM.SCALACOUSTIC B. 600X600X12 | 9.10 |
| ARMSTRONG | BPM300105 | ARM.SPOJNICA U I KLIP PROFILA | 0.45 |
| ARMSTRONG | BP303033B | ARM.T-1200/38 PRELUDE 15 | 1.71 |
| ARMSTRONG | BP304033A | ARM.T-3600/43 PRELUDE 15 | 1.71 |
| ARMSTRONG | BP302033B | ARM.T-600/38 PRELUDE 15 | 1.71 |
| ARMSTRONG | BPM300100 | ARM.U PROFIL 3750 MM | 3.66 |
| ARMSTRONG | BPM300140 | ARM.ZIDNI NOSAC U PROFILA | 0.69 |
| KNAUF | 3698 | Band.traka iz stak.vlak 50mm25m | 1.83 |
| materijal | 5403 | BANDAZ TRAKA MREZ 20/1 | 2.63 |
| materijal | | BANDAZ TRAKA MREZ 90/1 | 8.76 |
| KNAUF-ZEMUN | 424443 | BAZA | 2.47 |
| KNAUF | 8268 | BETONKONTAKT 20/1 | 91.80 |
| KNAUF-ZEMUN | 195202 | BIOFINISH 25kg | 11.00 |
| KNAUF-ZEMUN | 266438 | BIOFINISH 5kg | 3.09 |
| materijal | 2169 | BK-POL 25/1 | 25.38 |
| KNAUF | 60135 | CD-profil 60/27/0.6/3000 | 1.58 |
| KNAUF | 3294 | CD-profil 60/27/0.6/4000 | 1.58 |
| KNAUF | 176334 | CW-zidni prof. 100/50/0.6/3500 | 2.70 |
| EM-ONIX | | CW-zidni prof.50/50/06/3000 EO | 2.09 |
| EM-ONIX | | CW-zidni prof.50/50/06/3500 EO | 2.09 |
| EM-ONIX | | CW-zidni prof100/50/06/4000 EO | 2.70 |
| EM-ONIX | F70006 | CW-zidni prof75/50/0.6/3000 EO | 2.31 |
| EM-ONIX | 1050 | CW-zidni prof75/50/0.6/4000 EO | 2.31 |
| EM-ONIX | | CW-zidni profil 100/50/06/3000 EO | 2.70 |
| KNAUF | 3251 | CW-zidni profil 50/50/0.6/2600 | 2.09 |
| KNAUF | 3253 | CW-zidni profil 50/50/0.6/3000 | 2.09 |
| KNAUF | 3258 | CW-zidni profil 50/50/0.6/4000 | 2.09 |
| KNAUF | 4841 | CW-zidni profil 75/50/0.6/2500 | 2.32 |
| KNAUF | 176321 | CW-zidni profil 75/50/0.6/2600 | 2.32 |
| KNAUF | 60923 | CW-zidni profil 75/50/0.6/2750 | 2.32 |
| KNAUF | 176324 | CW-zidni profil 75/50/0.6/3000 | 2.32 |
| KNAUF | 3263 | CW-zidni profil 75/50/0.6/3250 | 2.32 |
| KNAUF | 3264 | CW-zidni profil 75/50/0.6/3500 | 2.32 |
| KNAUF | 3266 | CW-zidni profil 75/50/0.6/4000 | 2.32 |
| KNAUF | 60939 | CW-zidni profil 75/50/0.6/4500 | 2.32 |
| KNAUF | 97041 | CW-zidni profil 75/50/0.6/6000 | 2.32 |
| KNAUF | 3272 | CW-zidni profil100/50/0.6/3000 | 2.70 |
| KNAUF | 3406 | Direktni ovjes CDprof. 60/27 | 0.34 |
| KNAUF | 3405 | DIREKTNI OVJES ZA DRV KONS. | 0.34 |
| VELUX | | DKL F06 1085 SJENILO | 115.38 |
| VELUX | | DKL M08 1025S | 128.21 |
| VELUX | | DOP FK08 SJENILO+TENDA | 205.21 |
| VELUX | | DOP MK08 SJENILO+TENDA | 218.03 |
| KNAUF | 3411 | DUPLI FEDER | 0.26 |
| EM-ONIX | | DUPLI FEDER EO | 0.34 |

| | | | |
|--------------|-----------|-------------------------------------|--------|
| materijal | 01-045689 | DUPLO LJEPLJIVA TRAKA 10M | 3.98 |
| materijal | | EUROVENT MAXI140 | 1.50 |
| materijal | | EUROVENT TOPDACH 100 | 0.95 |
| KNAUF-ZEMUN | 254151 | Extrafinish | 13.00 |
| KNAUF-ZEMUN | 239304 | Extraflex 25/1 | 24.00 |
| TRIMEX d.o.o | | FASADNA MREZICA 145 g TRIM | 0.90 |
| TRIMEX d.o.o | | FASADNA MREZICA 160 g TRIM | 0.98 |
| materijal | | FASADNA MREZICA ROFIX P50 | 1.56 |
| KNAUF-ZEMUN | 5182 | FE 50 LARGO 40/1 | 10.74 |
| KNAUF-ZEMUN | 58565 | FLEKSIBILNI LEPAK ZA PLOCICE | 17.32 |
| KNAUF | 7400 | FLEKSIBILNI UGAONI PROFIL 200mm | 116.44 |
| materijal | 01-045800 | FOLIJA ZASTITNA 4X5M | 1.17 |
| KNAUF | 77258 | FUGENFILLER LEICHT 25 kg sack | 27.22 |
| KNAUF | 60424 | FUGENFULLER LEICHT 10 KG SACK | 11.46 |
| KNAUF | 77259 | FUGENFULLER LEICHT 5 KG SACK | 5.95 |
| KNAUF | 77259 KN | FUGENFULLER LEICHT 5/1 KN | 5.95 |
| materijal | | GLETER PVC 280X140X2 | 6.40 |
| materijal | 2905 | ISOVER EKO DUBLE 10/5 14.4 | 1.55 |
| materijal | | ISOVER EKO DUBLE 5cm 19.2 | 1.55 |
| KNAUF | 00067988 | JET-FILLER 500ml | 5.45 |
| KNAUF | 72673 | KIT ZA PUKOTINE I FUGE | 6.67 |
| EM-ONIX | | KLJUC ZA REVIZIONA VRATA | 1.20 |
| KNAUF | 421488 | KNAUF INSUL.CLASSIC 044 100mm | 3.45 |
| KNAUF | 255924 | KNAUF INSUL.CLASSIC 044 50mm | 1.79 |
| KNAUF | 40378 | KNAUF INSUL.EKOROL 044 100mm | 3.13 |
| KNAUF | 40379 | KNAUF INSUL.EKOROL 044 50mm | 1.65 |
| materijal | 40502 | KNAUF INSUL.KAM.VUNA TW 75mm | 5.50 |
| materijal | 40501 | KNAUF INSUL.TI 140W 50mm | 2.95 |
| materijal | 40500 | KNAUF INSUL.TI 140W 75mm | 4.46 |
| KNAUF | 2304371 | KNAUF INSUL.TP 115 1250/625 50mm | 2.63 |
| VELUX | | KROV.PROZOR GLU CK02 55X78 | 432.08 |
| VELUX | | KROVNI PROZOR GGU C04 55X98 | 491.02 |
| VELUX | | KROVNI PROZOR GGU F06 66X118 | 534.19 |
| VELUX | | KROVNI PROZOR GGU M08 78X140 | 427.35 |
| VELUX | | KROVNI PROZOR GZL CK04 55X98ne kori | 324.79 |
| VELUX | | KROVNI PROZOR GZL FK06 66X118-ne kd | 367.52 |
| VELUX | | KROVNI PROZOR GZL M08 78X140 | 427.35 |
| VELUX | | KROVNI PROZOR GZL P08 94X140 | 482.91 |
| KNAUF | 64733 | Krst.spojnz za CD-prof.60/27sav | 0.70 |
| KNAUF | 3446 | Krst.spojznica za CD-prof 60/27rav | 0.40 |
| KNAUF | 3443 | Krst.spojznica za UA/CD | 0.65 |
| KNAUF-ZEMUN | 126064 | LEPAK ZA PLOCICE DIN 25kg | 10.28 |
| KNAUF-ZEMUN | 71269 | LEPAK ZA PLOCICE N 25 kg | 8.65 |
| LINDNER | 45006 | LINDNER LJEPILO U CREVU | 15.05 |
| LINDNER | 45005 | LINDNER LJEPILO ZA FIKS.NOZICA | 14.75 |
| LINDNER | 45053 | LINDNER NOSIVI-VEZNI PROFIL | 4.70 |
| LINDNER | 45082 | LINDNER NOZICA M3 400 MM | 8.99 |
| LINDNER | 450281 | LINDNER PLOCA LIGNA S 38 AL | 137.00 |
| ARMSTRONG | | METALNA ISPUNA 600X600 | 11.00 |
| KNAUF | 5216 | METALNA TIPLA 6 x 35 | 0.41 |
| VELUX | | MHL FK00 5060-Vanjska tenda | 89.74 |
| KNAUF-ZEMUN | 246699 | Miner.zavr.fas.nanos 1.5mm | 13.00 |
| KNAUF DEBAR | 9542 | MP 75 L 30/1 | 11.22 |
| KNAUF | 3392 | NONIUS OBUH.OVJES ZA UA 50 | 1.52 |
| KNAUF | 3438 | NONIUS OSIGURAC | 0.18 |
| KNAUF | 61945 | NONIUS OVJES DONJI DIO | 0.64 |

| | | | |
|--------------|-----------|----------------------------------|--------|
| KNAUF | 61946 | NONIUS OVJES GORNJI DIO 1000 | 1.91 |
| KNAUF | 61947 | NONIUS OVJES GORNJI DIO 300 | 0.61 |
| KNAUF | 61949 | NONIUS OVJES GORNJI DIO 500 | 0.96 |
| KNAUF | 3398 | NONIUS OVJES GORNJI DIO 600 | 1.09 |
| KNAUF | 3437 | NONIUSKLEMER | 0.20 |
| TRIMEX d.o.o | | OKAPNICA TRIM | 1.80 |
| VELUX | | OPSAV AL EDS F06 | 94.02 |
| VELUX | | OPSAV AL EDW F06 | 111.11 |
| VELUX | | OPSAV EDW+BDX C04 2000 | 149.57 |
| VELUX | | OPSAV EDW+BDX CK02 2000 | 149.57 |
| VELUX | | OPSAV EDW+BDX F08 2000 | 188.05 |
| VELUX | | OPSAV EDW+BDX M08 2000 | 179.48 |
| KNAUF | 3696 | PAPIRNA BANDAŽNA TRAKA 75M | 8.09 |
| materijal | 1090 | PARAPROPUSNA FOLIJA 90g | 1.40 |
| materijal | 1100 | PARAPROPUSNA FOLIJA TOP 165g | 1.92 |
| materijal | 230000586 | PBR 11-1 SREBRO ZAVRS.ZAOB.KER | 7.69 |
| materijal | 230000593 | PBR 3 SREBRO 30MM ZAOBLJ. | 4.14 |
| materijal | 456 | PBR 5-30 ZLATO T-30MM 2.7M | 7.10 |
| KNAUF | 3469 | PE - DIHTUNG TRAKA 70/30 | 18.48 |
| KNAUF | 3470 | PE -DIHTUNG TRAKA 95/30 | 23.67 |
| KNAUF | | PE FOLIJA OBOJENA | 3.12 |
| KNAUF | 109953 | PERLFIX 25/1 | 0.60 |
| KNAUF-ZEMUN | 426329 | PIGMENT CRNI 2072 | 0.05 |
| KNAUF-ZEMUN | 426340 | PIGMENT CRVENI 2035-1 | 0.05 |
| KNAUF-ZEMUN | 426338 | PIGMENT CRVENI 2060-1 | 0.05 |
| KNAUF-ZEMUN | 426336 | PIGMENT NARANDZASTI 2044-1 | 0.04 |
| KNAUF-ZEMUN | 426349 | PIGMENT NARANDZASTI 2045-1 | 0.12 |
| KNAUF-ZEMUN | 426333 | PIGMENT PLAVI CO 2028-1 | 0.26 |
| KNAUF-ZEMUN | 426356 | PIGMENT UMBRA 2052-1 | 0.04 |
| KNAUF-ZEMUN | 426335 | PIGMENT ZELENI 2061-1 | 0.10 |
| KNAUF-ZEMUN | 426346 | PIGMENT ZUTI 2011-1 | 0.04 |
| KNAUF-ZEMUN | 426350 | PIGMENT ZUTI 2053-1 | 0.18 |
| KNAUF-ZEMUN | 426352 | PIGMENT ZUTI 2084-1 | 0.32 |
| KNAUF-ZEMUN | 426343 | PIGMENT ZUTI 2109-1 | 0.24 |
| KNAUF | 71322 | PLOCA CLEANEO 12/25 Q | 37.20 |
| KNAUF | 71257 | PLOCA CLEANEO 8/18 Q | 37.20 |
| KNAUF | 71246 | PLOCA CLEANEO 8/18 R | 37.20 |
| KNAUF | 76188 | PLOCA CLEANEO SLOTLINE 1200 2400 | 40.00 |
| KNAUF | 71416 | PLOCA CLINEO 12/20/35 R raz perf | 37.20 |
| KNAUF | 2884 | Ploca GKB 12.5 1250 2000 | 3.63 |
| KNAUF | 2885 | Ploca GKB 12.5 1250 2500 | 3.63 |
| KNAUF | 2887 | Ploca GKB 12.5 1250 2750 | 3.63 |
| KNAUF | 46945 | Ploca GKB PIANO 12.5 1250 2000 | 12.91 |
| KNAUF | 2879 | Ploca GKB savitljiva 6.5mm | 14.30 |
| KNAUF | 2911 | Ploca GKB-I 12.5 1250 2000 | 5.69 |
| KNAUF | 2891 | Ploca GKF 12.5 1250 2000 | 5.38 |
| KNAUF | 2904 | Ploca masivna 20 625 2000 | 21.12 |
| KNAUF | 00132849 | Ploca SAFEBOARD 12.5/625/2500 | 56.27 |
| AMF | | PLOCA THER.SK STAR 60X60X1.5MM | 10.33 |
| materijal | 45-1110 | POC PROFIL ZA STIROPOR 10 CM | 3.50 |
| materijal | 45-1105 | POC PROFIL ZA STIROPOR 5 CM | 2.33 |
| materijal | 45-1108 | POC PROFIL ZA STIROPOR 8 CM | 3.00 |
| materijal | 4308 | PODLOGA 5/1 | 15.00 |
| KNAUF | | PROTEKT [INA | 3.50 |
| materijal | 403265 | PUR PJENA ZA STIR. 800ml | 11.80 |
| EM-ONIX | T10073 | PVC PROF SAVITLJIVI 2.5 PROT EO | 4.32 |

| | | | |
|--------------|-----------|-----------------------------------|-------|
| materijal | 1241 | PVC PROFIL SAVITLJIVI 2.6 PROT | 4.32 |
| KNAUF | 60560 | PVC PROFIL SAVITLJIVI 3 m | 7.25 |
| materijal | | PVC PROFIL SAVITLJIVI PROT. 3M | 4.92 |
| EM-ONIX | T10025 | PVC PROFIL ZA GK PL 13/23 SAVIT | 4.32 |
| TRIMEX d.o.o | | PVC TIPLA L-110 TRIM | 0.11 |
| TRIMEX d.o.o | | PVC TIPLA L-140 TRIM | 0.15 |
| TRIMEX d.o.o | | PVC TIPLA L-160 TRIM | 0.19 |
| materijal | 45-1125 | PVC TIPLA ZA STIROPOR 110 | 0.11 |
| materijal | 45-1126 | PVC TIPLA ZA STIROPOR 140 | 0.17 |
| materijal | 45-1129 | PVC TIPLA ZA STIROPOR 160 | 0.22 |
| TRIMEX d.o.o | | PVC UGAO SA MREZICOM TRIM | 0.70 |
| EM-ONIX | t10074 | PVC ZAVRSNI PROF ZA GKB 12.5mm EO | 3.08 |
| KNAUF | 3445 | Ravna spojnica za CDprofil 60/27 | 0.32 |
| KNAUF | 3480 | Razdjelna traka 50mm | 5.86 |
| KNAUF | 173132 | REV.OTVOR BASIS 20X20 KNAUF | 22.40 |
| KNAUF | 173136 | REV.OTVOR BASIS 40X40 KNAUF | 34.43 |
| KNAUF | 173138 | REV.OTVOR BASIS 60X60 KNAUF | 55.11 |
| KNAUF | 238750 | REVIZION 300X300 S POT.ZATV. | 27.12 |
| KNAUF | 238782 | REVIZION 600X600 S POT.ZATV. | 55.12 |
| KNAUF | 85-263 | REVIZION 60X60 SA GKB | 81.76 |
| EM-ONIX | T30031 | REVIZION SA GKB 200 X 200 EO | 38.21 |
| EM-ONIX | T30032 | REVIZION SA GKB 300 X 300 EO | 40.91 |
| KNAUF | 85-260 | REVIZION SA GKB 30X30 | 45.10 |
| EM-ONIX | T30033 | REVIZION SA GKB 400 X 400 EO | 47.17 |
| KNAUF | 85-261 | REVIZION SA GKB 40X40 | 57.60 |
| EM-ONIX | T30034 | REVIZION SA GKB 500 X 500 EO | 58.45 |
| EM-ONIX | T30035 | REVIZION SA GKB 600 X 600 EO | 77.31 |
| KNAUF | | REVIZION SA GKB 60X60 | 60.00 |
| KNAUF | 47501 | REVIZIONI OTVOR 600 X 600 | 60.00 |
| KNAUF | 238777 | REVIZIONI OTVOR LIM 40X40 KNAUF | 34.89 |
| KNAUF | 238780 | REVIZIONI OTVOR LIM 50X50 KNAUF | 46.72 |
| materijal | 12058 | ROFIX 510 35/1 MALTER | 8.40 |
| KNAUF DEBAR | 2862 | Rotband-Haftpuc 30/1 | 12.50 |
| KNAUF | 00133092 | SAFEBOARD-masa za obr.spoj 5/1 | 45.15 |
| KNAUF | 161522 | SAM.VIJAK ZA LIM LN 3.5x9 | 13.00 |
| EM-ONIX | A90093 | SAMOUR.VIJAK TB 25 SEMIN | 17.91 |
| EM-ONIX | A90094 | SAMOUR.VIJAK TB 35 SEMIN | 22.67 |
| KNAUF | 86617 | SAMOUREZIVI VIJAK LB 4.2X13 | 4.00 |
| KNAUF | 161231 | SAMOUREZIVI VIJAK TB 25 | 28.10 |
| KNAUF | 161524 | SAMOUREZIVI VIJAK TB 35 | 36.95 |
| KNAUF | 160335 | SAMOUREZIVI VIJAK TN 25 | 13.18 |
| KNAUF | 161189 | SAMOUREZIVI VIJAK TN 35 | 16.27 |
| KNAUF | 93304550 | SAMOUREZIVI VIJAK TN 55 | 25.10 |
| KNAUF | 933057000 | SAMOUREZIVI VIJAK TN 70 | 33.33 |
| KNAUF | 3503 | SAMOUREZNI VIJAK SN 3.5X30MM | 23.00 |
| materijal | | SAMOUREZNI VIJAK TB 45 | 37.38 |
| KNAUF | 90 | SAMOUREZNI VIJAK TN 25 SEMIN | 12.43 |
| KNAUF | | SAMOUREZNI VIJAK TN 35 SEMIN | 13.75 |
| KNAUF | 314849 | SHEETROCK MASA FINITURA 6KG | 14.97 |
| KNAUF | 432690 | SHEETROCK MASA SUP FINISH 20KG | 34.31 |
| KNAUF | 314840 | SHEETROCK MASA SUPERFINISH 25/1 | 42.75 |
| KNAUF-ZEMUN | 424356 | SI&SI FINISH S 1.5MM | 2.29 |
| KNAUF | 19873 | Sidreni ovjes 170 CDprof.60/27 | 0.36 |
| KNAUF | 8490 | Sidreni ovjes bez opr CD 60/27 | 0.45 |
| materijal | SB01 | SILIKON TRANSPARENTNI 280ML | 3.90 |
| materijal | | SKALPER ZUTI 18 MM | 1.44 |

| | | | |
|-------------|-----------|---------------------------------|--------|
| KNAUF | 40312 | SKARE ZA LIM 240mm | 43.41 |
| materijal | 45-1271 | STIRODUR 2CM | 3.83 |
| materijal | 45-1078 | STIRODUR DIANA 5CM | 11.80 |
| AUSTROTHERM | 2501001 | STIROPOR A 100 1 cm | 0.97 |
| AUSTROTHERM | 2501002 | STIROPOR A 100 2 cm | 1.93 |
| AUSTROTHERM | 2501003 | STIROPOR A 100 3 cm | 2.91 |
| AUSTROTHERM | | STIROPOR A 100 5cm | 4.81 |
| materijal | | STIROPOR AF 10cm | 8.23 |
| AUSTROTHERM | | STIROPOR AF 5 cm | 4.11 |
| AUSTROTHERM | 2506014 | STIROPOR AF 8 cm | 6.58 |
| AUSTROTHERM | 2508006 | STIROPOR AFF 10 cm | 8.66 |
| AUSTROTHERM | 2508001 | STIROPOR AFF 5 cm | 4.33 |
| AUSTROTHERM | 2508003 | STIROPOR AFF 8 cm | 6.92 |
| EM-ONIX | T30036 | ST-REV. BASIS 200 X 200 EO | 20.70 |
| EM-ONIX | T30037 | ST-REV. BASIS 300 X 300 EO | 26.41 |
| EM-ONIX | T30038 | ST-REV. BASIS 400 X 400 EO | 34.11 |
| EM-ONIX | T30039 | ST-REV. BASIS 500 X 500 EO | 42.18 |
| EM-ONIX | T30040 | ST-REV. BASIS 600 X 600 EO | 51.29 |
| KNAUF | | ST-REV.BASIC 250 X 250 MM | 24.60 |
| KNAUF | 47500 | ST-REV.BASIS 200 X 200 MM | 20.70 |
| KNAUF | 76222 | ST-REV.BASIS 300 X 300 MM | 25.80 |
| KNAUF | 40259 | ST-REV.BASIS 400 X 400 MM | 34.97 |
| KNAUF | | ST-REV.BASIS 500X500 MM | 55.00 |
| materijal | 022226 | TAVANSKE STEPENICE OLK 70X120 | 195.00 |
| KNAUF-ZEMUN | 518350 | Termokleber plus | 8.90 |
| KNAUF-ZEMUN | 422744 | Termokleber special | 10.60 |
| KNAUF-ZEMUN | 254146 | Termolkeber | 8.90 |
| KNAUF | 265702 | TIEFENGRUND 15/1 | 88.00 |
| materijal | T14635 | TIPL UDARNI 6X40 | 21.20 |
| KNAUF | 3537 | TIPLA K 6/35 | 6.50 |
| KNAUF | 3539 | TIPLA L 8/80 | 10.08 |
| KNAUF | 131376 | TIPLA ZA GK ZIDOVE M5X60 | 3.09 |
| materijal | | TIPLA ZA RIGIPS GK 13X22 | 0.12 |
| materijal | 01-045156 | TRAKA LJEPLIVA ZAST.30mm | 3.43 |
| materijal | 0301 | TRAKA LJEPLJ.ZA PARNU BRANU | 10.00 |
| materijal | 01-045159 | TRAKA LJEPLJIVA ZAST. 50MM | 5.65 |
| materijal | | TRAKA PVC SIVA 30MM | 2.04 |
| materijal | | T-TAPE ALU TRAKE 5cm | 12.21 |
| KNAUF | 3347 | UA profil 50/40/2.0/3500 | 7.92 |
| EM-ONIX | T10054 | UA profil 75/40/2.0/3000 EO | 8.90 |
| EM-ONIX | T10055 | UA profil 75/40/2.0/4000 EO | 8.90 |
| KNAUF | 3364 | UA-profil 100/40/2.0/3000 | 10.00 |
| KNAUF | 3366 | UA-profil 100/40/2.0/3500 | 10.00 |
| KNAUF | 3368 | UA-profil 100/40/2.0/4000 | 10.00 |
| KNAUF | 3345 | UA-profil 50/40/2.0/3000 | 7.91 |
| KNAUF | 3349 | UA-profil 50/40/2.0/4000 | 7.91 |
| KNAUF | 3354 | UA-profil 75/40/2.0/2750 | 9.40 |
| KNAUF | 3355 | UA-profil 75/40/2.0/3000 | 9.40 |
| KNAUF | 7688 | UA-profil 75/40/2.0/3200 | 9.40 |
| KNAUF | 3357 | UA-profil 75/40/2.0/3500 | 9.40 |
| KNAUF | 3359 | UA-profil 75/40/2.0/4000 | 9.40 |
| KNAUF | 176336 | UD-profil 28/27/0.6/3000 | 1.11 |
| EM-ONIX | 99 | UD-profil 28/27/0.6/3000 EO | 1.06 |
| KNAUF | 36534 | UNIFLOT 5/1 | 2.62 |
| KNAUF | 3442 | Univerzalna spojnica za CD60/27 | 0.54 |
| URSA | 170064 | URSA IZOL.ELF 100mm 9m2 | 3.50 |

| | | | |
|-----------|--------|--------------------------------|-------|
| URSA | 170063 | URSA IZOL. ELF 50mm 18m2 | 1.75 |
| URSA | 170459 | URSA IZOL. TWF FONO | 2.35 |
| URSA | 140049 | URSA IZOL.SF 35 140mm | 12.75 |
| KNAUF | 3455 | Uticni kutnik za UA 75 | 19.27 |
| EM-ONIX | T00040 | Uticni kutnik za UA 75 EO | 1.24 |
| EM-ONIX | | UW-rubni prof100/40/0.6/4000EO | 2.18 |
| EM-ONIX | | UW-rubni prof50/40/0.6/4000 EO | 1.55 |
| EM-ONIX | | UW-rubni prof75/40/0.6/4000EO | 2.03 |
| KNAUF | 3372 | UW-rubni profil 50/40/0.6/4000 | 1.78 |
| KNAUF | 3376 | UW-rubni profil 75/40/0.6/4000 | 2.03 |
| KNAUF | 3378 | UW-rubni profil100/40/0.6/4000 | 2.40 |
| materijal | 073555 | vIJAK GIPS 3.5X55 | 18.40 |
| materijal | 20 | vIJAK ZA DRVO 3.9X 45 1000/1 | 20.01 |
| materijal | 21 | vIJAK ZA DRVO 3.9X55 500/1 | 16.68 |
| materijal | 85-330 | vIJAK ZA DRVO 4.2X75 | 11.07 |
| KNAUF | 3421 | Zica s usicom 1000mm | 0.62 |
| KNAUF | 3422 | Zica s usicom 1250mm | 0.85 |
| KNAUF | 3418 | Zica s usicom 375mm | 0.28 |
| KNAUF | 3419 | Zica s usicom 500mm | 0.30 |
| EM-ONIX | T00024 | ZICA SA USICOM 1000MM EO | 0.62 |
| KNAUF | 3424 | Zica sa usicom 1500mm | 0.78 |
| EM-ONIX | T00033 | ZICA SA USICOM 1500MM EO | 1.08 |
| materijal | | Zica sa usicom 2500mm S | 1.42 |
| EM-ONIX | T00008 | ZICA SA USICOM 375MM EO | 0.25 |
| EM-ONIX | T00022 | ZICA SA USICOM 500MM EO | 0.30 |
| materijal | | ZICA SA USICOM 500MM MZ | 0.30 |
| KNAUF | 3420 | Zica sa usicom 750mm | 0.45 |
| EM-ONIX | | ZICA SA USICOM 750MM EO | 0.45 |